sigma-aldrich.com

SAFETY DATA SHEET

Version 4.8 Revision Date 03/08/2016 Print Date 05/16/2017

1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product identifiers Product name	:	Acetonitrile
	Product Number Brand Index-No.	:	271004 Sigma-Aldrich 608-001-00-3
	CAS-No.	:	75-05-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA
Telephone Fax	:	+1 800-325-5832 +1 800-325-5052

1.4 **Emergency telephone number**

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312 Eye irritation (Category 2A), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s) H225 H302 + H312 + H332 H319	Highly flammable liquid and vapour. Harmful if swallowed, in contact with skin or if inhaled Causes serious eye irritation.
Precautionary statement(s) P210 P233 P240 P241	Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment.

Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
Wash skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/ eye protection/ face protection.
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/ attention.
Wash contaminated clothing before reuse.
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Store in a well-ventilated place. Keep cool.
Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms	: Methyl cyanide ACN
Formula	: C ₂ H ₃ N
Molecular weight	: 41.05 g/mol
CAS-No.	: 75-05-8
EC-No.	: 200-835-2
Index-No.	: 608-001-00-3
Registration number	: 01-2119471307-38-XXXX

Hazardous components

Component	Classification	Concentration
Acetonitrile		
	Flam. Liq. 2; Acute Tox. 4 Irrit. 2A; H225, H302 + H3 H332, H319	

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture No data available
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment.Keep away from sources of ignition - No smoking.Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Handle and store under inert gas.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Acetonitrile	75-05-8	TWA	20.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Lower Respiratory Tract irritation		

Not classifiable as a human carcinogen Danger of cutaneous absorption		
TWA	20.000000 ppm 34.000000 mg/m3	USA. NIOSH Recommended Exposure Limits
Forms cyani	de in the body.	
TWA	40.000000 ppm 70.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
The value in mg/m3 is approximate.		

Derived No Effect Level (DNEL)

Application Area	Exposure routes	Health effect	Value
Workers	Inhalation	Acute local effects, Acute systemic effects	68 mg/m3
Workers	Skin contact	Long-term systemic effects	32.2mg/kg BW/d
Workers	Inhalation	Long-term local effects, Long-term systemic effects	68 mg/m3
Consumers	Inhalation	Acute local effects	220 mg/m3
Consumers	Inhalation	Acute systemic effects	22 mg/m3
Consumers	Inhalation	Long-term systemic effects	4.8 mg/m3

Predicted No Effect Concentration (PNEC)

Compartment	Value	
Water	10 mg/l	
Soil	2.41 mg/kg	
Marine water	1 mg/l	
Fresh water	10 mg/l	
Fresh water sediment	7.53 mg/kg	
Onsite sewage treatment plant	32 mg/l	

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: clear, liquid Colour: colourless
b)	Odour	ether-like
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: -48 °C (-54 °F)
f)	Initial boiling point and boiling range	81 - 82 °C (178 - 180 °F)
g)	Flash point	2.0 °C (35.6 °F) - closed cup
h)	Evaporation rate	5.8
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 16 %(V) Lower explosion limit: 3 %(V)
k)	Vapour pressure	73.18 hPa (54.89 mmHg) at 15 °C (59 °F) 121.44 hPa (91.09 mmHg) at 25 °C (77 °F) 413.23 hPa (309.95 mmHg) at 55 °C (131 °F) 98.64 hPa (73.99 mmHg) at 20 °C (68 °F)
I)	Vapour density	1.42 - (Air = 1.0)
m)	Relative density	0.786 g/mL at 25 °C (77 °F)
n)	Water solubility	completely soluble
0)	Partition coefficient: n- octanol/water	log Pow: -0.54 at 25 °C (77 °F)
p)	Auto-ignition temperature	524.0 °C (975.2 °F)
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	Not explosive
t)	Oxidizing properties	The substance or mixture is not classified as oxidizing.

9.2 Other safety information

Surface tension 29.0 mN/m at 20.0 °C (68.0 °F)

Relative vapour density 1.42 - (Air = 1.0)

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

10.5 Incompatible materials

acids, Bases, Oxidizing agents, Reducing agents, Alkali metals

10.6 Hazardous decomposition products

Other decomposition products - No data available Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx) In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 1,320 - 6,690 mg/kg

LC50 Inhalation - Mouse - 4 h - 3587 ppm (OECD Test Guideline 403)

LC50 Inhalation - Rat - 4 h - 26.8 mg/l

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Irritating to eyes. (OECD Test Guideline 405)

Respiratory or skin sensitisation

Buehler Test - Guinea pig Did not cause sensitisation on laboratory animals. (OECD Test Guideline 406)

Germ cell mutagenicity

Hamster ovary Result: negative Mutation in mammalian somatic cells.

Ames test S. typhimurium Result: Not mutagenic in Ames Test Hamster ovary Result: Equivocal evidence. Sister chromatid exchange

Mutagenicity (micronucleus test) Mouse Result: Positive results were obtained in some in vivo tests.

Carcinogenicity

No evidence of carcinogenicity in animal studies.

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

Animal testing did not show any effects on fertility.

Specific target organ toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Additional Information

RTECS: AL7700000

Treat as cyanide poisoning., Always have on hand a cyanide first-aid kit, together with proper instructions., The onset of symptoms is generally delayed pending conversion to cyanide., Nausea, Vomiting, Diarrhoea, Headache, Dizziness, Rash, Cyanosis, excitement, depression, Drowsiness, impaired judgment, Lack of coordination, stupor, death

12. ECOLOGICAL INFORMATION

12.1 Toxicity

	Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 1,640.00 mg/l - 96 h
		NOEC - Oryzias latipes - 102 mg/l - 21 d
	Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 3,600 mg/l - 48 h (OECD Test Guideline 202)
		NOEC - Daphnia magna (Water flea) - 160 mg/l - 21 d
2	Persistence and degradability	

12.2 Persistence and degradability Biodegradability Resul

Result: 84 % - Readily biodegradable

(OECD Test Guideline 301C)

12.3 Bioaccumulative potential

No bioaccumulation is to be expected (log Pow <= 4).

12.4 Mobility in soil

Not expected to adsorb on soil.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

Avoid release to the environment.

Stability in water

Remarks: Hydrolyses slowly.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US) UN number: 1648 C Proper shipping name: A Reportable Quantity (RQ		Packing group: II	
Poison Inhalation Hazard	i: No		
IMDG UN number: 1648 C Proper shipping name: A	Class: 3 CETONITRILE	Packing group: II	EMS-No: F-E, S-D
IATA UN number: 1648 C Proper shipping name: A	Class: 3 cetonitrile	Packing group: II	

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels establis	shed by SARA Title III CAS-No.	, Section 313: Revision Date
Acetonitrile	75-05-8	2007-07-01
SARA 311/312 Hazards Fire Hazard, Acute Health Hazard		
Massachusetts Right To Know Components		
	CAS-No.	Revision Date
Acetonitrile	75-05-8	2007-07-01
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Acetonitrile	75-05-8	2007-07-01
New Jersey Right To Know Components		
Acetonitrile	CAS-No. 75-05-8	Revision Date 2007-07-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox.	Acute toxicity
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquids
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H302 + H312 +	Harmful if swallowed, in contact with skin or if inhaled
H332	
H312	Harmful in contact with skin.

HMIS Rating

Health hazard:	2	
Chronic Health Hazard:		
Flammability:	3	
Physical Hazard	0	
NFPA Rating		
Health hazard:	2	

Health hazard:
Fire Hazard:
Reactivity Hazard:
Health hazard:
Fire Hazard:
Reactivity Hazard:

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.8

Revision Date: 03/08/2016

Print Date: 05/16/2017