# **SAFETY DATA SHEET**

Version 3.13 Revision Date 09/23/2016 Print Date 05/16/2017

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : 1-Butanol

Product Number : B7906 Brand : Sigma

Index-No. : 603-004-00-6

CAS-No. : 71-36-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 4), H302

Skin irritation (Category 2), H315

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, Central nervous system, H335, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 GHS Label elements, including precautionary statements

•

Hazard statement(s)

Pictogram

Signal word

H226 Flammable liquid and vapour.

H302 Harmful if swallowed. H315 Causes skin irritation.

H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

Danger

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Sigma - B7906 Page 1 of 9

P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Synonyms : Butyl alcohol n-Butanol

Registration number : 01-2119484630-38-XXXX

**Hazardous components** 

Component	Classification	Concentration
n-Butanol		
	Flam. Liq. 3; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; STOT SE 3; H226, H302, H315, H318, H335, H336	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

## **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Sigma - B7906 Page 2 of 9

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Flash back possible over considerable distance.

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray to cool unopened containers.

#### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Handle and store under inert gas. hygroscopic

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma - B7906 Page 3 of 9

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis	
n-Butanol	71-36-3	TWA	20.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Upper Respiratory Tract irritation Eye irritation			
		TWA	20 ppm	USA. ACGIH Threshold Limit Values (TLV)	
		Upper Respiratory Tract irritation Eye irritation			
		TWA	100.000000 ppm 300.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
		The value in mg/m3 is approximate.			
		С	50.000000 ppm 150.000000 mg/m3	USA. NIOSH Recommended Exposure Limits	
		Potential for dermal absorption			
		C	50 ppm 150 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	

### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

#### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 480 min

Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm Break through time: 58 min

Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Sigma - B7906 Page 4 of 9

### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

**Appearance** Form: liquid, clear

Colour: colourless

No data available b) Odour

Odour Threshold No data available

No data available d) рН

e) Melting point/freezing

point

Melting point/range: -90 °C (-130 °F)

Initial boiling point and

116 - 118 °C (241 - 244 °F)

boiling range

35 °C (95 °F) - closed cup Flash point

Evaporation rate No data available h)

Flammability (solid, gas) No data available i)

Upper/lower flammability or Upper explosion limit: 11.2 %(V) Lower explosion limit: 1.4 %(V)

explosive limits

Vapour pressure 5 hPa (4 mmHg) at 20 °C (68 °F)

I) Vapour density 2.56 - (Air = 1.0)

m) Relative density 0.81 g/mL at 25 °C (77 °F)

n) Water solubility soluble

Partition coefficient: n-

octanol/water

No data available

p) Auto-ignition temperature

No data available

Decomposition

No data available

temperature

No data available r) Viscosity **Explosive properties** No data available s) Oxidizing properties No data available

9.2 Other safety information

> 2.56 - (Air = 1.0)Relative vapour density

#### 10. STABILITY AND REACTIVITY

#### Reactivity 10.1

No data available

Sigma - B7906 Page 5 of 9

#### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

#### 10.4 Conditions to avoid

Exposure to moisture Heat, flames and sparks.

### 10.5 Incompatible materials

Oxidizing agents, Alkali metals, Bases, Strong acids, Halogens

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

### 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - 790 mg/kg

Remarks: Liver:Fatty liver degeneration. Kidney, Ureter, Bladder:Other changes. Blood:Other changes.

LC50 Inhalation - Rat - 4 h - 8000 ppm

LD50 Dermal - Rabbit - 3,400 mg/kg

No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: Skin irritation - 24 h

### Serious eye damage/eye irritation

Eyes - Rabbit Result: Blindness

(OECD Test Guideline 405)

#### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

### Reproductive toxicity

No data available

No data available

### Specific target organ toxicity - single exposure

May cause respiratory irritation.

May cause drowsiness or dizziness.

### Specific target organ toxicity - repeated exposure

No data available

Sigma - B7906 Page 6 of 9

### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: EO1400000

drying, cracking of the skin, Skin irritation

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

### 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 1,840 mg/l - 96 h

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 1,983 mg/l - 48 h

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

Bioaccumulation Oncorhynchus mykiss (rainbow trout) - 24 h

- 921 mg/l

Bioconcentration factor (BCF): 0.38

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

No data available

# 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

### Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1120 Class: 3 Packing group: III

Proper shipping name: Butanols Reportable Quantity (RQ): 5000 lbs

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1120 Class: 3 Packing group: III EMS-No: F-E, S-D

Proper shipping name: BUTANOLS

#### IATA

Sigma - B7906 Page 7 of 9

Packing group: III

UN number: 1120 Class: 3 Proper shipping name: Butanols

#### 15. REGULATORY INFORMATION

#### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

n-Butanol CAS-No. Revision Date 71-36-3 2007-07-01

#### SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

### **Massachusetts Right To Know Components**

n-Butanol CAS-No. Revision Date 71-36-3 2007-07-01

**Pennsylvania Right To Know Components** 

CAS-No. Revision Date n-Butanol 71-36-3 2007-07-01

**New Jersey Right To Know Components** 

CAS-No. Revision Date 71-36-3 2007-07-01

### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### **16. OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Eye Dam. Serious eye damage Flam. Lig. Flammable liquids

H226 Flammable liquid and vapour.

H302 Harmful if swallowed. H315 Causes skin irritation.

H318 Causes serious eye damage.
 H335 May cause respiratory irritation.
 H336 May cause drowsiness or dizziness.

Skin Irrit. Skin irritation

STOT SE Specific target organ toxicity - single exposure

# **HMIS Rating**

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 3
Physical Hazard 0

#### **NFPA Rating**

Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0

### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the

Sigma - B7906 Page 8 of 9

product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 3.13 Revision Date: 09/23/2016 Print Date: 05/16/2017

Sigma - B7906 Page 9 of 9